



Blood Pressure Monitor For Pregnant Women

Model: AU941 **f**



- 7/14/21/28 day AM/PM Averaging
- Movement Detection
- Real Fuzzy Technology
- Hypertension Risk Indication (HRI)
- Irregular Heartbeat Detection (IHB)
- Average of last 3 readings
- 120 memories for 2-users with date and time indication
- Guest mode
- Latex-free patented universal cone cuff
- Adaptor socket
- Lifetime Calibration
- PC Link (Optional)
- Carrying bag



7/14/21/28 Day AM/PM Averaging



Movement Detection



Real Fuzzy Technology



Hypertension Risk Indication



Irregular Heartbeat Detection (IHB)



Average of last 3 readings



120 memories for 2-Users with Date and Time Indication



Guest Mode



Universal Cone Cuff



Lifetime Calibration



Clinically Validated

This blood pressure monitor has passed the criteria of the European Society of Hypertension by achieving all requirements and achieved the highest possible grade (A/A) according to the criteria of the British Hypertension Society. This monitor further complies with the standard required by the Association for the Advancement of Medical Instrumentation (AAMI).



Universal Cone cuff fits arm circumference: 24-40cm (9.4"-15.7")
Other size cuffs available upon request

7 / 14 / 21 / 28 Day AM / PM Averaging

Tracking variations in blood pressure readings between morning and evening is important for physicians to better understand, diagnose and manage hypertensive patients or patients with other forms of heart diseases. Blood pressure changes throughout the day and is influenced by physical and mental factors, measurement conditions and time.

Real **f**uzzy Technology

Real Fuzzy Technology determines ideal cuff pressure based on one's systolic blood pressure and arm size. Users no longer need to pre-set the inflation level before measurement. The technology eliminates arm discomfort through unnecessary high inflation settings and also prevents inaccurate readings caused by erroneous cuff inflation levels.

Model	Qty per carton	Carton volume
AU941f	12 pcs	0.061cbm/ctn
QTY per 20'	QTY per 40'	QTY per 40'HQ
5496 pcs	10980pcs	12744 pcs

- Storage and Transportation Condition
-10°C~60°C(14°F~140°F)
10%~90% RH, 700~1060 hPa

Patent Nos:
US: 7597667B2; TW: 191076;
TW: 1 236891; TW: 1322262;
CN: 469964, Other patents pending

www.rossmax.com
OBM_Epaper_AU901f(2)NA7_EN_ver2205